

L Number	Hits	Search Text	DB	Time stamp
-	156	(digital adj fingerprint\$) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 15:45
-	131	((digital adj fingerprint\$) and @ad<20000621) and (separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:18
-	105	((digital adj fingerprint\$) and @ad<20000621) and group\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:15
-	26	((digital adj fingerprint\$) and @ad<20000621) and (separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) not ((digital adj fingerprint\$) and @ad<20000621) and group\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:15
-	131	((digital adj fingerprint\$) and @ad<20000621) and (verif\$ or match\$4 or valid\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:16
-	21	((digital adj fingerprint\$) and @ad<20000621) and (separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) not ((digital adj fingerprint\$) and @ad<20000621) and group\$4) and ((digital adj fingerprint\$) and @ad<20000621) and (verif\$ or match\$4 or valid\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:16
-	76	((digital adj fingerprint\$) and @ad<20000621) and statist\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:17
-	93	((digital adj fingerprint\$) and @ad<20000621) and (statist\$ or probab\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:17
-	21	((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:18
-	11	((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint) and index	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:18
-	8	((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint) and index) and ((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint) and identif\$) and scan\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:19

-	5	((((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint)) and index) and (((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint)) and identif\$) and scan\$ and (database or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:20
-	5	((((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint)) and index) and (((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint)) and identif\$) and scan\$ and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:20
-	11	5926555.URPN.	USPAT	2003/12/03 17:24
-	20	((((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint)) and identif\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:27
-	92	((digital adj fingerprint\$) and @ad<20000621) and (statist\$ or probable or probability)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:34
-	801	(digital with fingerprint\$) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:02
-	511	((digital with fingerprint\$) and @ad<20000621) and ((detect\$ or identif\$) with fingerprint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:39
-	15	((digital with fingerprint\$) and @ad<20000621) and (match\$) near (section or segment or part or group)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:46
-	27	((digital with fingerprint\$) and @ad<20000621) and (match\$ or verif\$) near (section or region or segment or part or group)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:51
-	12	((((digital with fingerprint\$) and @ad<20000621) and (match\$ or verif\$) near (section or region or segment or part or group)) not (((digital with fingerprint\$) and @ad<20000621) and (match\$) near (section or segment or part or group))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:46
-	37	((digital with fingerprint\$) and @ad<20000621) and (match\$ or verif\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:05

-	11	((digital with fingerprint\$) and @ad<20000621) and (match\$ or verif\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)) not ((digital with fingerprint\$) and @ad<20000621) and (match\$ or verif\$) near (section or region or segment or part or group))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:55
-	14117	(digital with (identification or marking or embed\$ or fingerprint\$)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:41
-	18113	(digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:34
-	365	((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (match\$ or verif\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:11
-	694	((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (match\$ or verif\$ or compar\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:18
-	198	((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (match\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:29
-	379	((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (compar\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:19
-	35	((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (match\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)) and ((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (compar\$) near (\$section or \$region or \$segment or \$part or \$group or \$area))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:20
-	23	((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (match\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)) and ((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (compar\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)) and (database or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:21
-	84	((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (match\$) near (\$section or \$region or \$area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:30

-	79	((digital with (signature or identification or marking or embed\$ or fingerprint\$) and @ad<20000621) and (match\$) near (\$section or \$region or \$area)) not (((digital with (signature or identification or marking or embed\$ or fingerprint\$) and @ad<20000621) and (match\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)) and (((digital with (signature or identification or marking or embed\$ or fingerprint\$) and @ad<20000621) and (compar\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)) and (database or repository))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:30
-	17778	((digital or electronic) with (identification or marking or embed\$ or fingerprint\$) with (identification or detection or matching)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:43
-	842	((digital or electronic) with (identification or marking or embed\$ or fingerprint\$) near2 (identification or detection or matching)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:43
-	2018	((digital or electronic) adj (identification or marking or embed\$ or fingerprint\$) near2 (identification or detection or matching)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:44
-	4628	((section or group or region) with (identification or marking or embed\$ or fingerprint\$) with (separat\$ or divid\$ or segment\$)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:45
-	373	((section or group or region) with (signature or fingerprint) with (separat\$ or divid\$ or segment\$)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:47
-	13871	((section or group or region) with (identi\$ or signature or fingerprint) with (separat\$ or divid\$ or segment\$)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:51
-	44	((digital or electronic) adj (identification or marking or embed\$ or fingerprint\$) near2 (identification or detection or matching)) and @ad<20000621) and (((section or group or region) with (identi\$ or signature or fingerprint) with (separat\$ or divid\$ or segment\$)) and @ad<20000621)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:51
-	1	6650877.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:24
-	823	(electronic or digital) adj (search\$4 or retriev\$4 or identification or detection) adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:34
-	1246	(electronic or digital) adj (search\$4 or retriev\$4 or identification or detection) adj (device or apparatus or method or system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:35

-	48340	(electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:41
-	919	(electronic or digital) adj (search\$4 or retriev\$4 or identification or detection) adj (device or apparatus or method or system) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:39
-	33858	(electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:52
-	906	((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:57
-	859	((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and (compar\$4 or associat\$ or match\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:03
-	340	((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:16
-	204	((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section)) and (index or number\$4 with identif\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:07
-	411	((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:06
-	243	((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group)) and (index or number\$4 with identif\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:00
-	243	((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group)) and (index or number\$4 with identif\$) and (output\$4 or provid\$4 or stor\$4) with (bit or number or digital)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:02

-	242	(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group))) and (index or number\$4 with identif\$)) and (output\$4 or generat\$4 or stor\$4) with (bit or number or digital)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:03
-	46	(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group))) and (index or number\$4 with identif\$)) and (generat\$4 or compute or computing or deriv\$4 or calculat\$4 or process\$4 or determin\$4) with (most or best correct) near2 (value or bit or signature or digital or fingerprint\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:12
-	80	(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group))) and (index or number\$4 with identif\$)) and (generat\$4 or compute or computing or deriv\$4 or calculat\$4 or process\$4 or determin\$4) with (most or best correct or probabili\$4 or statistic\$5) near2 (value or bit or signature or digital or fingerprint\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:10
-	81	(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group))) and (index or number\$4 with identif\$)) and (generat\$4 or compute or computing or deriv\$4 or calculat\$4 or process\$4 or determin\$4) with (most or best correct or probabili\$4 or statistic\$5 or stab\$5) near2 (value or bit or signature or digital or fingerprint\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:11
-	123	(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group))) and (index or number\$4 with identif\$)) and (generat\$4 or compute or computing or deriv\$4 or calculat\$4 or process\$4 or determin\$4) with (most or best correct or probabili\$4 or statistic\$5 or stab\$5) with (value or bit or signature or digital or fingerprint\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:11

107	<p>(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group))) and (index or number\$4 with identif\$)) and (generat\$4 or compute or computing or deriv\$4 or calculat\$4 or process\$4 or determin\$4) with (most or best correct or probabili\$4 or statistic\$5 or stab\$5) with (value or bit or signature or digital or fingerprint\$4)) and ((value or bit or signature or digital or fingerprint\$4) with (\$section or \$region or \$segment or \$part or \$group or \$area))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/12/04 13:15</p>
197	<p>(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group))) and (index or number\$4 with identif\$)) and ((section or \$region or \$segment or \$part or \$group or \$area) with (database or repository or table or section))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/12/04 13:21</p>
96	<p>(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group))) and (index or number\$4 with identif\$)) and (generat\$4 or compute or computing or deriv\$4 or calculat\$4 or process\$4 or determin\$4) with (most or best correct or probabili\$4 or statistic\$5 or stab\$5) with (value or bit or signature or digital or fingerprint\$4)) and ((value or bit or signature or digital or fingerprint\$4) with (\$section or \$region or \$segment or \$part or \$group or \$area))) and (((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group))) and (index or number\$4 with identif\$)) and ((section or \$region or \$segment or \$part or \$group or \$area) with (database or repository or table or section))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/12/08 15:35</p>

-	96	((((((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group))) and (index or number\$4 with identif\$)) and (generat\$4 or compute or computing or deriv\$4 or calculat\$4 or process\$4 or determin\$4) with (most or best correct or probabili\$4 or statistic\$5 or stab\$5) with (value or bit or signature or digital or fingerprint\$4)) and ((value or bit or signature or digital or fingerprint\$4) with (\$section or \$region or \$segment or \$part or \$group or \$area))) and (((((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit)) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group))) and (index or number\$4 with identif\$)) and ((\$section or \$region or \$segment or \$part or \$group or \$area) with (database or repository or table or section)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 15:42
-	436	713/176.ccls. and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 15:45
-	139	(database or (data adj storage) or (data adj table)) and (((section or group) with (database or storage or table)) same (match\$ or correspond\$4)) and ((associat\$4 or correlat\$4) with (identification or identifier or index or record)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:32
-	2	6405218.URPN.	USPAT	2003/12/08 16:34

-	95	("4432057" "4807182" "4819156" "4827423" "4866611" "4875159" "4956809" "4980844" "5065360" "5136707" "5142619" "5155850" "5170480" "5187787" "5210868" "5228116" "5237678" "5251151" "5251291" "5261045" "5261094" "5272628" "5278978" "5278982" "5283887" "5293627" "5301313" "5315709" "5327555" "5333252" "5333265" "5333316" "5339392" "5339434" "5355476" "5375234" "5392390" "5396612" "5434994" "5444851" "5448718" "5463735" "5475833" "5511188" "5519606" "5530939" "5560005" "5568402" "5583793" "5596574" "5600834" "5613113" "5615364" "5619689" "5630081" "5666530" "5666553" "5682524" "5684984" "5684990" "5699517" "5701423" "5706452" "5708812" "5708840" "5710922" "5727202" "5729735" "5745712" "5758083" "5758150" "5758355" "5778388" "5790789" "5809494" "5832218" "5838923" "5845293" "5870759" "5870765" "5884323" "5884324" "5884325" "5892909" "5897640" "5926824" "5928329" "5943676" "5978813" "6039245" "6141664" "6212529" "6223187" "6330568" "6405218").PN.	USPAT	2003/12/08 16:36
-	52	5339434.URPN.	USPAT	2003/12/08 17:11
-	2928	((stability or stable) adj (value or bit)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:32
-	0	((database or (data adj storage) or (data adj table)) and ((section or group) with (database or storage or table)) same (match\$ or correspond\$4)) and ((asssociat\$4 or correlat\$4) with (identification or identifier or index or record)) and @ad<20000621) and (((stability or stable) adj (value or bit)) and @ad<20000621)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:33
-	0	((stability or stable) adj (value or bit)) and @ad<20000621) and 713/176.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:34
-	0	((stability or stable) adj (value or bit)) and @ad<20000621) and 713.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:34
-	18	((stability or stable) adj (value or bit)) and @ad<20000621) and 713/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:35
-	4022	((stability or stable or reliab\$5) adj (value or bit)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:33

-	31	((stability or stable or reliab\$5) adj (value or bit)) and @ad<20000621) and (digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:34
-	43	((stability or stable or reliab\$5) adj (value or bit)) and @ad<20000621) and ((digital or electronic) with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:35
-	2	5748763.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:54
-	2	6026193.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:54